SAFETY DATA SHEET

GASCÓ Super Stripper

Product codes: D10065, D10057

Version 1 | Issue date 2026-10-26 | Supersedes Earlier SDS, unnumbered

SECTION 1. IDENTIFICATION

Product identifier

Product name GASCÓ Super Stripper

Other means of identification GascóClean Super Stripper; Super Stripper

Product code	Package	Net contents	UPC
D10065	Case of 4 jugs	4 x 1 US gal (3.785 L)	787302100651
D10057	Pail	5 US gal (18.93 L)	787302100576

Recommended use and restrictions on use

Recommended use Floor finish stripper for resilient and hard floors, such as vinyl, terrazzo, ceramic tile and concrete. Dissolves old floor finish and wax build-up. Dilute with water before use, as directed on the product label: from 1 part of product in 2 parts of water for moderate build-up to 1 part of product in 1 part of water for heavy build-up. Apply the solution generously, let it stand 3 to 5 minutes while keeping the floor wet, then scrub with a mop, a floor brush or a floor machine. Pick up with a wet/dry vacuum, a mop or an automatic scrubber, and let the floor dry before applying any sealer or finish.

Restrictions on use For institutional and industrial use. Always dilute with water before use. Test the solution on a small, hidden area of the floor first. Do not use on dishes, utensils or food-contact surfaces. Do not mix with other cleaning products or chemicals. Floors wet with the product or the use solution are very slippery.

Manufacturer or supplier

Company Gascó Industrial Corp.

Address Calle A Lote 3, Rincón Industrial Park, Gurabo, PR 00778

Mailing address PO Box 1360, Gurabo, PR 00778

Telephone (787) 737-4000

Email orders@gascoindustrial.com

Website www.gascoindustrial.com

Emergency telephone number

Poison Control 1-800-222-1222 (24 hours)

SECTION 2. HAZARD(S) IDENTIFICATION

Classification of the chemical

This product is not classified as hazardous under the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Label elements

Pictograms Not applicable

Signal word Not applicable

Other hazards

Hazards of chemical reaction products None known

Hazards not otherwise classified (HNOC) None known

Other hazards which do not result in classification The product is alkaline (pH about 10). Contact with the eyes may cause irritation, and prolonged contact with the concentrate or the use solution may dry the skin. Floors wet with the product or the use solution are very slippery.

Unknown acute toxicity Approx. 2%, 2% and 13% of the mixture consist of ingredients of unknown acute oral, dermal and inhalation toxicity, respectively.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance or mixture Mixture

Chemical name	CAS number or other identifier	Concentration (%)	GHS classification
Builder	Trade secret	3 to 7 (w/w)	Skin corrosion/irritation, Category 2 (H315); Serious eye damage/eye irritation, Category 2A (H319); Specific target organ toxicity, single exposure (respiratory tract irritation),

Chemical name	CAS number or other identifier	Concentration (%)	GHS classification Category 3 (H335)
Hydrotrope	Trade secret	1 to 5 (w/w)	Serious eye damage/eye irritation, Category 2A (H319)
Water	7732-18-5	Balance	Not classified

Concentrations are percent by weight. The specific chemical identities and exact percentages of the builder, hydrotrope have been withheld as a trade secret under 29 CFR 1910.1200(i); their concentrations are given as ranges.

SECTION 4. FIRST-AID MEASURES

Inhalation If mist is inhaled and irritation occurs, move the person to fresh air and keep comfortable for breathing. Call Poison Control at 1-800-222-1222 or a doctor if the person feels unwell.

Skin contact Take off contaminated clothing. Rinse skin with plenty of water for 15 to 20 minutes. If skin irritation occurs, call Poison Control at 1-800-222-1222 or a doctor for treatment advice. Wash contaminated clothing before reuse.

Eye contact Hold the eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call Poison Control at 1-800-222-1222 or a doctor for treatment advice, and get medical attention if irritation persists.

Ingestion Call Poison Control at 1-800-222-1222 or a doctor for treatment advice. Rinse mouth with water. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by Poison Control or a doctor. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, acute and delayed Eyes: redness, tearing and stinging. Skin: redness and dryness after prolonged contact. Ingestion: irritation of the mouth, throat and stomach, nausea and vomiting. Inhalation of mist: irritation of the nose and throat.

Immediate medical attention and special treatment Treat symptomatically. Have the product container or this Safety Data Sheet with you when calling Poison Control or a doctor, or going for treatment.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Use media suitable for the surrounding fire. The product is a water-based solution and is not flammable.

Unsuitable extinguishing media None known

Specific hazards arising from the chemical The product is a water-based solution and has no flash point. If the water evaporates in a fire, the residue may burn and release carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides, phosphorus oxides and sodium oxides.

Special protective equipment and precautions for fire-fighters Wear positive-pressure self-contained breathing apparatus and full protective fire-fighting gear. Cool containers exposed to fire with water spray. Contain runoff from fire control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Avoid contact with eyes and skin and avoid breathing mist. Wear the chemical splash goggles and protective gloves listed in Section 8. Spilled product makes floors very slippery; keep people away from the spill.

Environmental precautions Prevent large spills from entering drains, sewers and waterways.

Methods and materials for containment and cleaning up Stop the leak if it can be done without risk. Dike large spills and absorb them with inert material such as sand, earth or absorbent pads, and place it in a closed, labeled container for disposal. Wipe up small spills with a damp mop. Rinse the area with plenty of water.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling Avoid contact with eyes, skin and clothing and avoid breathing mist. Wear chemical splash goggles and protective gloves when handling the concentrate or the use solution, such as when diluting, pouring from pails or stripping floors. Dilute with water as directed on the label. Do not mix with other cleaning products or chemicals. Use with adequate ventilation. Wash hands thoroughly with soap and water after handling and before eating, drinking or smoking.

Conditions for safe storage, including any incompatibilities Store in the original container, tightly closed, in a cool, well-ventilated area out of direct sunlight and away from heat. Protect from freezing. Keep out of reach of children. Keep away from strong acids and strong oxidizing agents, such as bleach. Store away from food and food packaging materials.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

No component of this product has an established occupational exposure limit.

Exposure controls and personal protective equipment

Other exposure guidelines	An alkanolamine present at about 6%, not listed in Section 3 because it is not classified, has an ACGIH TLV of 5 mg/m³ (TWA); no OSHA PEL or NIOSH REL. With the ventilation described below, airborne concentrations from normal use are expected to be well below it. No other ingredient present at 0.1% or more has an OSHA, ACGIH or NIOSH limit.
Engineering controls	General ventilation is adequate for use as directed. Provide an eyewash station where the concentrate is handled or diluted.
Eye and face protection	Chemical splash goggles when handling the concentrate or the use solution, such as when diluting, pouring or machine scrubbing.
Hand protection	Wear chemical-resistant gloves, such as nitrile rubber, when handling the concentrate or the use solution.
Body protection	Long sleeves and slip-resistant, chemical-resistant footwear when stripping floors. Change clothing that becomes wet with the product.
Respiratory protection	Not normally required. Avoid breathing mist and use the product in a well-ventilated area.
General hygiene	Wash hands after handling and before eating, drinking or smoking. Take off contaminated clothing and wash it before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid	**Color**	Amber
Odor	Solvent odor	**Odor threshold**	No data available
Melting point/freezing point	No data available	**Initial boiling point and boiling range**	Approx. 101 °C (214 °F)
Flammability	Not flammable	**Flammability limits in air**	Not applicable
Flash point	No flash point (water-based solution)	**Auto-ignition temperature**	Not applicable (water-based solution)
Decomposition temperature	No data available	**pH**	10.2 (undiluted)
Kinematic viscosity	The product is a thin liquid	**Solubility in water**	Completely miscible
Partition coefficient n-octanol/water (log value)	No data available		
Vapor pressure	Approx. 2.3 kPa (17 mmHg) at 20 °C (68 °F), mainly water		
Evaporation rate	No data available		
Density	Approx. 1.05 g/cm³ (8.8 lb/US gal) at 20 °C (68 °F)		
Relative density (water = 1)	Approx. 1.05 at 20 °C (68 °F)	**Relative vapor density (air = 1)**	Approx. 0.6, as water vapor
Particle characteristics	Not applicable		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	No hazardous reactions are known under normal conditions of storage and use. Reacts with acids, generating heat.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Contact with strong acids generates heat. Hazardous polymerization does not occur.
Conditions to avoid	Freezing, heat and mixing with other chemicals.
Incompatible materials	Strong acids and acid cleaners, and strong oxidizing agents, such as bleach.
Hazardous decomposition products	None under normal conditions of storage and use. When heated to dryness or burned: carbon oxides, nitrogen oxides, sulfur oxides, phosphorus oxides and sodium oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely routes of exposure	Eye contact, skin contact, ingestion and inhalation of mist.
Symptoms	Eyes: redness, tearing and stinging. Skin: redness and dryness after prolonged contact. Ingestion: irritation of the mouth, throat and stomach, nausea and vomiting. Inhalation of mist: irritation of the nose and throat.

Delayed and immediate effects and chronic effects	Immediate: eye irritation on direct contact. Delayed: none known. Chronic: prolonged or repeated contact may dry and irritate the skin.
Acute toxicity	Not classified
Acute toxicity estimates (ATE)	Oral: approx. 62,000 mg/kg (calculated). Dermal: approx. 33,000 mg/kg (calculated). Inhalation: no data available for the product; not classified.
Skin corrosion/irritation	Not classified, based on the ingredients and the pH (about 10). Prolonged or repeated contact may dry or irritate the skin.
Serious eye damage/eye irritation	Not classified, based on the ingredients (calculated). Direct contact may cause temporary eye irritation.
Respiratory or skin sensitization	Not classified. A minor ingredient contains a skin sensitizer, below the concentration that would classify the product; persons already sensitized may react. Respiratory sensitization: not classified.
Germ cell mutagenicity	Not classified. No ingredient present at 0.1% or more is classified as a germ cell mutagen.
Carcinogenicity	Not classified. No ingredient present at 0.1% or more is listed as a carcinogen or potential carcinogen by NTP or OSHA. IARC: the alkanolamine is in Group 3 (not classifiable as to its carcinogenicity to humans).

Reproductive toxicity	Not classified	**Specific target organ toxicity, single exposure**	Not classified
Specific target organ toxicity, repeated exposure	Not classified	**Aspiration hazard**	Not classified
Interactive effects	None known		

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	No data available for the product. Based on the ingredients (summation method), the product is not classified as hazardous to the aquatic environment. The alkanolamine is of low toxicity to aquatic life. The solvent blend is toxic to aquatic life; its concentration in the product is low.
Persistence and degradability	No data available for the product. The alkanolamine is readily biodegradable.
Bioaccumulative potential	No data available for the product. The alkanolamine is not expected to bioaccumulate.
Mobility in soil	The product is miscible with water.
Other adverse effects	The undiluted product is alkaline. Do not release undiluted product or stripping waste to surface water, storm drains or waterways.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods	Dispose of contents and container in accordance with local, state and federal regulations. Do not discharge undiluted product to storm drains or waterways. Used stripping solution contains the removed floor finish; dispose of it as local regulations require, which may restrict discharge to the sanitary sewer.
RCRA waste code	None. When discarded unused, the product is not a listed hazardous waste and has no hazardous waste characteristic: it is not ignitable (D001: no flash point), not corrosive (D002: pH about 10) and not reactive, and it contains none of the toxicity characteristic contaminants of 40 CFR 261.24. Used stripping solution may contain metals from the removed floor finish; evaluate it before disposal.
Contaminated packaging	Do not reuse or refill empty jugs or pails. Rinse empty containers with water, add the rinse water to the use solution, and dispose of the containers as local regulations allow.

SECTION 14. TRANSPORT INFORMATION

	DOT (US ground)	IMDG (sea)	IATA (air)
UN number	Not regulated	Not regulated	Not regulated
UN proper shipping name	Not applicable	Not applicable	Not applicable
Transport hazard class	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable
Hazard labels	Not applicable	Not applicable	Not applicable
Marine pollutant	No	No	Not applicable
Notes	Not regulated as a hazardous material.	Not regulated. Not a marine pollutant.	Not regulated.

Packages	Case of 4 plastic jugs of 1 US gal (3.785 L), about 35 lb (16 kg) of product per case; plastic pail of 5 US gal (18.93 L), about 44 lb (20 kg) of product.
Emergency response guide	Not applicable
Transport in bulk according to MARPOL Annex II	Not applicable (shipped in packages, not in ship tanks)
Special precautions for user	Keep containers upright and closed. Protect from freezing.

SECTION 15. REGULATORY INFORMATION

OSHA hazard communication	This product is not classified as a hazardous chemical under 29 CFR 1910.1200.
TSCA inventory	The ingredients listed in Section 3 are listed as active on the TSCA Inventory.
SARA 302 extremely hazardous substances	Not listed
SARA 311/312 hazard categories	None (not classified as hazardous).
SARA 313 toxic chemicals	No ingredient listed in Section 3 is subject to the supplier notification requirements of 40 CFR 372.
CERCLA reportable quantity	No ingredient listed in Section 3 is a CERCLA hazardous substance.
New Jersey right-to-know	Contains a substance on the New Jersey right-to-know hazardous substance list (the alkanolamine named in Section 8).
Pennsylvania right-to-know	Contains a substance on the Pennsylvania right-to-know hazardous substance list (the alkanolamine named in Section 8).
Massachusetts right-to-know	Contains a substance on the Massachusetts right-to-know list (the alkanolamine named in Section 8).
California Proposition 65	No ingredient listed in Section 3 is on the Proposition 65 list.

SECTION 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of preparation or last revision

Issue date	2026-10-26	**Version**	1
Date of first issue	2026-10-26	**Supersedes**	Earlier SDS, unnumbered

Hazard ratings

NFPA 704



HMIS

Health	1
Flammability	0
Physical hazard	0
Personal protection	B

NFPA 704 ratings run from 0 (minimal hazard) to 4 (severe hazard). HMIS rating scale: 0 minimal, 1 slight, 2 moderate, 3 serious, 4 severe. The HMIS personal protection letter refers to the HMIS equipment index.

NFPA 704 and HMIS ratings are provided for reference only and are not part of the GHS classification.

References

1. OSHA Hazard Communication Standard, 29 CFR 1910.1200, Appendices A to D, as amended May 20, 2024.
2. US DOT Hazardous Materials Regulations, 49 CFR 171 to 180.

Disclaimer

The information in this Safety Data Sheet is believed to be accurate as of the issue date and is given in good faith as a guide to safe handling, use, storage, transport and disposal. It is not a product specification and no warranty, express or implied, is made. Users must determine the suitability of the product for their own purposes and comply with all applicable laws and regulations. Gascó Industrial Corp. accepts no liability for loss or damage resulting from the use of this information or of the product.

Document control (Section 16, continued)

Document ID	SDS-D10065-D10057	**Version**	1
Issue date	2026-10-26	**Supersedes**	Earlier SDS, unnumbered

Revision history

Version	Date	Summary of changes
1	2026-10-26	First issue.

Review and approval

Role	Name	Title	Signature	Date
Prepared by	Quality Assurance	Gascó Industrial Corp.		
Reviewed by	Dan N. Bigman-Montalvo	CEO, Gascó Industrial Corp.		
Approved by	Dan N. Bigman-Montalvo	CEO, Gascó Industrial Corp.		

Prepared in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200.

End of Safety Data Sheet | Page 6 of 6