SAFETY DATA SHEET

GASCÓ Glass & Surface Cleaner, Ready to Use

Product code: D10085
Version 9 | Issue date 2026-10-26 | Supersedes Version 8 (2026-07-01)

SECTION 1. IDENTIFICATION

Product identifier

Product name GASCÓ Glass & Surface Cleaner, Ready to Use

Other means of identification GASCÓ Glass Cleaner; GascóClean Glass & Surface Cleaner; Glass and surface cleaner, ready to use

Product code	Package	Net contents	UPC
D10085	Case of 12 bottles	12 x 32 fl oz (946 mL)	787302100859

Recommended use and restrictions on use

Recommended use Ready-to-use cleaner for glass and hard surfaces such as windows, mirrors, windshields, displays and counters. Spray directly on the surface and wipe with a paper towel or cloth. Do not dilute.

Restrictions on use For professional and institutional use. Do not mix with other chemicals, including chlorine bleach.

Manufacturer or supplier

Company Gascó Industrial Corp.
Address Calle A Lote 3, Rincón Industrial Park, Gurabo, PR 00778
Mailing address PO Box 1360, Gurabo, PR 00778
Telephone (787) 737-4000
Email orders@gascoindustrial.com
Website www.gascoindustrial.com

Emergency telephone number

Poison Control 1-800-222-1222 (24 hours)

SECTION 2. HAZARD(S) IDENTIFICATION

Classification of the chemical

This product is not classified as hazardous under the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Label elements

Pictograms Not applicable

Signal word Not applicable

Other hazards

Hazards of chemical reaction products None known

Hazards not otherwise classified (HNOC) None known

Other hazards which do not result in classification Direct contact with the eyes may cause temporary irritation. Prolonged or repeated skin contact may dry the skin. The product contains a skin sensitizer (a fragrance component) far below the concentration that classifies the product; persons who are already sensitized may react. Spilled product makes floors slippery.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance or mixture Mixture

Chemical name	CAS number or other identifier	Concentration (%)	GHS classification
Solvent	Trade secret	1 to 5 (w/w)	Flammable liquids, Category 2 (H225); Serious eye damage/eye irritation, Category 2A (H319); Specific target organ toxicity, single exposure (narcotic effects), Category 3 (H336)
Water	7732-18-5	Balance	Not classified

Concentrations are percent by weight. The specific chemical identity and exact percentage of the solvent have been withheld as a trade secret under 29 CFR 1910.1200(i); its concentration is given as a range. The product also contains minor ingredients, including surfactants, each below the concentration at which it would have to be listed.

SECTION 4. FIRST-AID MEASURES

Inhalation Remove the person to fresh air and keep at rest in a position comfortable for breathing. Call Poison Control at 1-800-222-1222 or a doctor if the person feels unwell.

Skin contact Take off contaminated clothing. Rinse skin with plenty of water. Get medical attention if irritation or a rash develops or persists.

Eye contact Rinse cautiously with water for 15 minutes, holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists.

Ingestion Rinse mouth with water. Do not induce vomiting unless told to do so by Poison Control or a doctor. Never give anything by mouth to an unconscious person. Call Poison Control at 1-800-222-1222 or a doctor for treatment advice.

Most important symptoms and effects, acute and delayed Eyes: redness, tearing and stinging. Inhalation of spray mist: irritation of the nose and throat. Ingestion: irritation of the mouth and throat, nausea and stomach discomfort. Skin: dryness after prolonged or repeated contact. Delayed: an allergic skin rash is possible in persons already sensitized to a fragrance component of the product.

Immediate medical attention and special treatment Treat symptomatically. Have the product container or this Safety Data Sheet with you when calling Poison Control or a doctor, or going for treatment.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Use media suitable for the surrounding fire. The product is a water-based solution and is not flammable (laboratory test by UL).

Unsuitable extinguishing media None known

Specific hazards arising from the chemical The product is a water-based solution and is not flammable. If the water evaporates in a fire, the solvent vapor and the dried residue may burn. Plastic bottles may soften, rupture and release liquid in a fire.

Hazardous combustion products Carbon monoxide and carbon dioxide.

Special protective equipment and precautions for fire-fighters Wear positive-pressure self-contained breathing apparatus and full protective fire-fighting gear. Cool containers exposed to fire with water spray. Contain runoff from fire control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Avoid contact with eyes. Wear the eye protection listed in Section 8. Spilled product makes floors slippery.

Environmental precautions Prevent large spills from entering drains, sewers and waterways.

Methods and materials for containment and cleaning up Stop the leak if it can be done without risk. Wipe up small spills with a cloth or mop. Absorb larger spills with inert material such as sand, earth or absorbent pads and place it in a closed container for disposal. Rinse the area with water.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling Avoid contact with eyes and avoid breathing spray mist. Do not spray toward the eyes or face. Use in a well-ventilated area. Do not mix with other chemicals. Wash hands with soap and water after handling and before eating, drinking or smoking.

Conditions for safe storage, including any incompatibilities Store in the original container, tightly closed, in a cool, well-ventilated area out of direct sunlight, at 15 to 30 °C (59 to 86 °F). Protect from freezing. Keep out of reach of children. Keep away from strong oxidizing agents, strong acids, chlorine bleach and the other incompatible materials listed in Section 10.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

Component	CAS number	OSHA PEL	ACGIH TLV	NIOSH REL	IDLH
Solvent	Trade secret	400 ppm (980 mg/m³) TWA	200 ppm (492 mg/m³) TWA; 400 ppm (983 mg/m³) STEL; A4 (not classifiable as a human carcinogen)	400 ppm (980 mg/m³) TWA; 500 ppm (1,225 mg/m³) STEL	2,000 ppm

Components without established occupational exposure limits: Water.

Exposure controls and personal protective equipment

Biological limit value	ACGIH BEI for the solvent: acetone in urine, 40 mg/L, sampled at the end of the shift at the end of the workweek.
Engineering controls	General ventilation is adequate for use as directed.
Eye and face protection	Safety glasses are recommended when spraying the product. Wear chemical splash goggles where splashing is possible, such as when filling or transferring the product.
Hand protection	Not required for normal use. For prolonged or repeated contact, wear chemical-resistant gloves, such as nitrile rubber.
Body protection	No special protective clothing is required.
Respiratory protection	Not normally required with adequate ventilation. If the exposure limits may be exceeded, use a NIOSH-approved respirator with organic vapor cartridges within its assigned protection factor. Follow a respiratory protection program that meets 29 CFR 1910.134.
General hygiene	Wash hands after handling and before eating, drinking or smoking. Remove contaminated clothing and wash it before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid	**Color**	Blue, clear
Odor	Characteristic	**Odor threshold**	No data available
Melting point/freezing point	No data available	**Initial boiling point and boiling range**	Approx. 92 to 94 °C (198 to 201 °F) (estimated from published data for the solvent in water), rising toward 100 °C (212 °F) as the solvent boils off
Flammability	Not flammable, based on a laboratory test by UL	**Flammability limits in air**	Not applicable (the product is not flammable)
Flash point	The product was found not flammable in a laboratory test by UL	**Auto-ignition temperature**	Not applicable (water-based solution; not flammable)
Decomposition temperature	No data available	**pH**	No data available
Kinematic viscosity	No data available	**Solubility in water**	Completely miscible
Partition coefficient n-octanol/water (log value)	Solvent: log Kow 0.05	**Vapor pressure**	Approx. 3 kPa (23 mmHg) at 20 °C (68 °F), mainly water
Evaporation rate	No data available	**Density**	Approx. 0.99 g/cm³ (8.3 lb/US gal) at 20 °C (68 °F)
Relative density (water = 1)	Approx. 0.99 at 20 °C (68 °F)	**Relative vapor density (air = 1)**	No data available
Particle characteristics	Not applicable		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	No hazardous reactions are known under normal conditions of storage and use.
Chemical stability	Stable under recommended storage and handling conditions.
Possibility of hazardous reactions	Reacts with strong oxidizing agents. Mixing with chlorine bleach can form chloroform and other chlorinated compounds. Hazardous polymerization does not occur.
Conditions to avoid	Freezing, temperatures above 30 °C (86 °F) and mixing with other chemicals.
Incompatible materials	Strong oxidizing agents, strong acids and chlorine bleach (sodium hypochlorite).
Hazardous decomposition products	None under normal conditions of storage and use. Burning of the dried residue: carbon monoxide and carbon dioxide.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely routes of exposure	Eye contact, skin contact, ingestion and inhalation of spray mist.
Symptoms	Eyes: redness, tearing and stinging. Inhalation of spray mist: irritation of the nose and throat. Ingestion: irritation of the mouth and throat, nausea and stomach discomfort. Skin: dryness after prolonged or repeated contact.
Delayed and immediate effects and chronic effects	Immediate: temporary eye irritation on direct contact. Delayed: an allergic skin reaction is possible in persons already sensitized to a fragrance component of the product. Chronic: prolonged or repeated skin contact may dry the skin.
Acute toxicity	Not classified

Acute toxicity estimates (ATE)	Oral: ATEmix greater than 90,000 mg/kg, calculated from the ingredients. Dermal and inhalation: no ingredient present at 1% or more is classified for acute toxicity by these routes. Not classified by any route.
Skin corrosion/irritation	Not classified, based on the ingredients: the ingredients that irritate the skin make up less than 1% of the product. Prolonged or repeated contact may dry the skin.
Serious eye damage/eye irritation	Not classified, based on the ingredients: the ingredients that may cause serious eye damage are each present below 1%, and the eye irritants make up less than 10% of the product. Direct contact may cause temporary irritation.
Respiratory or skin sensitization	Not classified. A fragrance component that is a skin sensitizer (Category 1B) is present far below the 1.0% that would classify the product. Persons who are already sensitized may react. Respiratory sensitization: not classified.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified. No ingredient present at 0.1% or more is listed as a carcinogen or potential carcinogen by NTP, IARC or OSHA. ACGIH: the solvent is A4 (not classifiable as a human carcinogen).
Reproductive toxicity	Not classified
Specific target organ toxicity, single exposure	Not classified. The solvent content of the product is well below the concentration that would classify it for drowsiness or dizziness.

Specific target organ toxicity, repeated exposure	Not classified	**Aspiration hazard**	Not classified
Interactive effects	None known		

Component data: Solvent

LD50 oral, rat	5,045 mg/kg	**LD50 dermal, rabbit**	12,800 mg/kg
LC50 inhalation (vapor), rat, 4 h	72.6 mg/L	**Skin irritation, rabbit**	Not irritating
Skin sensitization, guinea pig	Not sensitizing		
Mutagenicity	Negative (bacterial, mammalian cell and mouse micronucleus tests)		

SECTION 12. ECOLOGICAL INFORMATION

Component data: Solvent

LC50 fish, 96 h	9,640 mg/L (Pimephales promelas)	**EC50 daphnia, 48 h**	13,299 mg/L (Daphnia magna)
NOEC daphnia, 21 days	30 mg/L (Daphnia magna)		
EC50 algae, 72 h	Greater than 1,000 mg/L (Desmodesmus subspicatus)		
Toxicity threshold, 16 h	1,050 mg/L (Pseudomonas putida)		

Persistence, bioaccumulation, mobility and other effects

Persistence and degradability	No data available for the product. Solvent: 72 to 78% degraded in 20 days in a standard test; it does not hydrolyze. In air, the solvent is degraded by hydroxyl radicals, with a half-life of approx. 10 to 25 hours.
Bioaccumulative potential	Low. Solvent: log Kow 0.05; bioconcentration factor approx. 1 (calculated).
Mobility in soil	The solvent is completely miscible with water, is very mobile in soil and evaporates readily from soil and water surfaces.
Other adverse effects	The surfactants and other minor ingredients may be harmful or toxic to aquatic life, but at their low concentrations the product is not classified as hazardous to the aquatic environment. Do not release undiluted product to storm drains or waterways. The solvent is a volatile organic compound (VOC).

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods	Dispose of contents and container in accordance with local, state and federal regulations. Do not discharge undiluted product to storm drains or waterways.
RCRA waste code	None expected. When discarded unused, the product is not a listed hazardous waste. It is not an ignitable waste (D001): it was found not flammable in a laboratory test by UL, and 40 CFR 261.21(a)(1) excludes aqueous solutions containing less than 24% alcohol by volume and at least 50% water by weight.
Contaminated packaging	Do not reuse or refill empty bottles. Rinse empty containers with water and dispose of them in the trash or as local regulations allow.

SECTION 14. TRANSPORT INFORMATION

	DOT (US ground)	IMDG (sea)	IATA (air)
UN number	Not regulated	Not regulated	Not regulated
UN proper shipping name	Not applicable	Not applicable	Not applicable
Transport hazard class	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable
Hazard labels	Not applicable	Not applicable	Not applicable
Marine pollutant	No	No	Not applicable
Notes	Not regulated as a hazardous material.	Not regulated. Not a marine pollutant.	Not regulated.

Emergency response guide Not applicable

Transport in bulk according to MARPOL Annex II Not applicable (shipped in packages, not in ship tanks)

Packages Case of 12 plastic trigger-spray bottles of 32 fl oz (946 mL); about 25 lb (11.2 kg) of product per case.

Special precautions for user Keep bottles upright and closed. Protect from freezing.

SECTION 15. REGULATORY INFORMATION

OSHA hazard communication This product is not classified as a hazardous chemical under 29 CFR 1910.1200.

TSCA inventory The ingredients listed in Section 3 are listed on the TSCA Inventory or are exempt from listing.

SARA 302 extremely hazardous substances Not listed

SARA 311/312 hazard categories None (not classified as hazardous).

SARA 313 toxic chemicals No ingredient listed in Section 3 is subject to the supplier notification requirements of 40 CFR 372.

CERCLA reportable quantity No ingredient listed in Section 3 is a CERCLA hazardous substance.

New Jersey right-to-know Contains a substance on the New Jersey right-to-know hazardous substance list (special health hazard substance).

Pennsylvania right-to-know Contains a substance on the Pennsylvania right-to-know hazardous substance list (environmental hazard).

Massachusetts right-to-know Contains a substance on the Massachusetts right-to-know substance list.

California Proposition 65 No ingredient listed in Section 3 is on the Proposition 65 list.

SECTION 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of preparation or last revision

Issue date 2026-10-26 **Version** 9


Supersedes Version 8 (2026-07-01)

Hazard ratings

NFPA 704



HMIS



NFPA 704 ratings run from 0 (minimal hazard) to 4 (severe hazard). HMIS rating scale: 0 minimal, 1 slight, 2 moderate, 3 serious, 4 severe. Personal protection: see Section 8.

NFPA 704 and HMIS ratings are provided for reference only and are not part of the GHS classification.

Disclaimer

The information in this Safety Data Sheet is believed to be accurate as of the issue date and is given in good faith as a guide to safe handling, use, storage, transport and disposal. It is not a product specification and no warranty, express or implied, is made. Users must determine the suitability of the product for their own purposes and comply with all applicable laws and regulations. Gascó Industrial Corp. accepts no liability for loss or damage resulting from the use of this information or of the product.

Document control (Section 16, continued)

Document ID	SDS-D10085	**Version**	9
Issue date	2026-10-26	**Supersedes**	Version 8 (2026-07-01)

Revision history

Version	Date	Summary of changes
9	2026-10-26	Full revision: all sections reviewed and updated.
8	2026-07-01	Previous edition.

Review and approval

Role	Name	Title	Signature	Date
Prepared by	Quality Assurance	Gascó Industrial Corp.		
Reviewed by	Dan N. Bigman-Montalvo	CEO, Gascó Industrial Corp.		
Approved by	Dan N. Bigman-Montalvo	CEO, Gascó Industrial Corp.		

Prepared in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200.

End of Safety Data Sheet | Page 6 of 6