SAFETY DATA SHEET

ECO CLEAN RainMask Odor Counteractant

Product codes: D11091, D13100
Version 1 | Issue date 2026-10-26 | Supersedes Earlier SDS, unnumbered

SECTION 1. IDENTIFICATION

Product identifier

Product name ECO CLEAN RainMask Odor Counteractant

Other means of identification EcoClean RainMask Odor Counteractant; RainMask Odor Counteractant; RainMask

Product code	Package	Net contents	UPC
D11091	Case of 4 jugs	4 x 1 US gal (3.785 L)	787302110919
D13100	Pail	5 US gal (18.93 L)	787302131006

Recommended use and restrictions on use

Recommended use Odor counteractant for bathrooms, kitchens, hotel rooms and restaurants, and for garbage cans, portable toilets, collection centers and other places with objectionable odors. Spray onto the soiled surface, or add to the mop water and mop with the solution, as directed on the label. May also be added to cleaning detergents.

Restrictions on use For professional and institutional use. Do not spray toward people or food. Do not mix with other cleaning products or chemicals.

Manufacturer or supplier

Company Gascó Industrial Corp.
Address Calle A Lote 3, Rincón Industrial Park, Gurabo, PR 00778
Mailing address PO Box 1360, Gurabo, PR 00778
Telephone (787) 737-4000
Email orders@gascoindustrial.com
Website www.gascoindustrial.com

Emergency telephone number

Poison Control 1-800-222-1222 (24 hours)

SECTION 2. HAZARD(S) IDENTIFICATION

Classification of the chemical

This product is not classified as hazardous under the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Label elements

Pictograms Not applicable

Signal word Not applicable

Other hazards

Hazards of chemical reaction products None known

Hazards not otherwise classified (HNOC) None known

Other hazards which do not result in classification Spilled product makes floors slippery.

Unknown acute toxicity Approx. 2.0% of the mixture consists of ingredients of unknown acute toxicity.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance or mixture Mixture

Chemical name	CAS number or other identifier	Concentration (%)	GHS classification
Ethyl alcohol	64-17-5	1.8 to 1.9 (w/w)	Flammable liquids, Category 2 (H225); Serious eye damage/eye irritation, Category 2A (H319)
Water	7732-18-5	Balance	Not classified

Concentrations are percent by weight.

SECTION 4. FIRST-AID MEASURES

Inhalation If mist is inhaled and irritation occurs, move the person to fresh air. Get medical attention if symptoms persist.

Skin contact Take off contaminated clothing. Rinse skin with water. Get medical attention if irritation occurs. Wash contaminated clothing before reuse.

Eye contact Hold the eye open and rinse slowly and gently with water for 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Get medical attention if irritation persists.

Ingestion Rinse mouth with water. If the person is able to swallow, have the person drink one or two glasses of water. Do not induce vomiting unless told to do so by Poison Control or a doctor. Never give anything by mouth to an unconscious person. Call Poison Control at 1-800-222-1222 or a doctor for treatment advice.

Most important symptoms and effects, acute and delayed Eyes: temporary redness, tearing and stinging. Skin: dryness after prolonged contact. Ingestion: irritation of the mouth and throat, nausea and stomach discomfort. Inhalation of mist: irritation of the nose and throat.

Immediate medical attention and special treatment Treat symptomatically. Have the product container or this Safety Data Sheet with you when calling Poison Control or a doctor, or going for treatment.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Use media suitable for the surrounding fire. The product is a water-based solution and is not flammable.

Unsuitable extinguishing media None known

Specific hazards arising from the chemical The product is a water-based solution and has no flash point stated. If the water evaporates in a fire, the residue may burn and release carbon monoxide and carbon dioxide.

Special protective equipment and precautions for fire-fighters Wear positive-pressure self-contained breathing apparatus and full protective fire-fighting gear. Cool containers exposed to fire with water spray. Contain runoff from fire control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Avoid contact with eyes. Wear the protective gloves and eye protection listed in Section 8 for large spills. Spilled product makes floors slippery.

Environmental precautions Prevent large spills from entering drains, sewers and waterways.

Methods and materials for containment and cleaning up Stop the leak if it can be done without risk. Wipe up small spills with a damp cloth or mop. Absorb larger spills with inert material such as sand, earth or absorbent pads and place it in a closed container for disposal. Rinse the area with water.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling Avoid contact with eyes and avoid breathing spray mist. Wear protective gloves for prolonged or repeated contact with the undiluted product. Use as directed on the label. Do not mix with other cleaning products or chemicals. Wash hands with soap and water after handling and before eating, drinking or smoking.

Conditions for safe storage, including any incompatibilities Store in the original container, tightly closed, in a cool, well-ventilated area out of direct sunlight, at 5 to 40 °C (41 to 104 °F). Protect from freezing. Keep out of reach of children. Keep away from strong oxidizing agents and strong acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

Component	CAS number	OSHA PEL	ACGIH TLV	NIOSH REL	IDLH
Ethyl alcohol	64-17-5	1,000 ppm (1,900 mg/m3) TWA	1,000 ppm STEL; A3	1,000 ppm (1,900 mg/m3) TWA; IDLH 3,300 ppm	No data available

Components without established occupational exposure limits: Water.

Exposure controls and personal protective equipment

Engineering controls General ventilation is adequate for use as directed.

Eye and face protection Not normally required for use as directed. Wear safety glasses with side shields where splashing of the undiluted product is possible, such as when filling sprayers or diluting.

Hand protection	Not normally required for use as directed. Wear chemical-resistant gloves, such as nitrile rubber, for prolonged or repeated contact with the undiluted product.
Body protection	No special protective clothing is required. Change clothing that becomes wet with the product.
Respiratory protection	Not normally required. Avoid breathing spray mist: spray at surfaces, not toward the face, and use the product in a well-ventilated area.
General hygiene	Wash hands after handling and before eating, drinking or smoking. Wash contaminated clothing before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid	**Color**	Green
Odor	Floral	**Odor threshold**	No data available
Melting point/freezing point	Less than 0 °C (32 °F) (aqueous solution)		
Initial boiling point and boiling range	Approx. 100 °C (212 °F)	**Flammability**	Not flammable
Flammability limits in air	Not applicable		
Flash point	No flash point. Water-based solution, about 92% water		
Auto-ignition temperature	Not applicable	**Decomposition temperature**	No data available
pH	6.9 (undiluted)		
Kinematic viscosity	Less than 5 mm²/s (thin, water-like liquid)		
Solubility in water	Completely miscible	**Partition coefficient n-octanol/water (log value)**	No data available
Vapor pressure	Approx. 2.3 kPa (17 mmHg) at 20 °C (68 °F), mainly water		
Evaporation rate	No data available	**Density**	1.00 g/cm³ (8.4 lb/US gal), measured
Relative density (water = 1)	1.00	**Relative vapor density (air = 1)**	Approx. 0.6, as water vapor
Particle characteristics	Not applicable		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	No hazardous reactions are known under normal conditions of storage and use.
Chemical stability	Stable under recommended storage and handling conditions.
Possibility of hazardous reactions	None known. Hazardous polymerization does not occur.
Conditions to avoid	Freezing, temperatures above 40 °C (104 °F) and mixing with other chemicals.
Incompatible materials	Strong oxidizing agents and strong acids.
Hazardous decomposition products	None under normal conditions of storage and use. Burning of the dried residue: carbon monoxide and carbon dioxide.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely routes of exposure	Eye contact, skin contact, ingestion and inhalation of mist.
Symptoms	Eyes: temporary redness, tearing and stinging. Skin: dryness after prolonged contact. Ingestion: irritation of the mouth and throat, nausea and stomach discomfort. Inhalation of mist: irritation of the nose and throat.
Delayed and immediate effects and chronic effects	Immediate: temporary eye irritation on direct contact. Delayed: none known. Chronic: prolonged or repeated contact may dry the skin.
Acute toxicity	Not classified
Acute toxicity estimates (ATE)	Oral and dermal: greater than 5,000 mg/kg. Inhalation (vapor): greater than 300 mg/L. Calculated from the ingredients of known acute toxicity; approx. 2% of the product (the fragrance) is of unknown acute toxicity.
Skin corrosion/irritation	Not classified, based on the ingredients (pH 6.9). Prolonged or repeated contact may dry the skin.
Serious eye damage/eye irritation	Not classified, based on the ingredients. Direct contact may cause temporary irritation.
Respiratory or skin sensitization	Not classified. No ingredient of known hazard is present at or above the concentration that classifies a mixture as a sensitizer. No data are available for the fragrance (about 2% of the product).
Germ cell mutagenicity	Not classified. No ingredient present at 0.1% or more is classified as a germ cell mutagen.
Carcinogenicity	Not classified. NTP and OSHA: no ingredient listed in Section 3 is listed. IARC: ethyl alcohol is Group 1 only in alcoholic beverages, which does not apply to this product. ACGIH: ethyl alcohol is A3 (see

Section 8). No data are available for the fragrance ingredients.

Reproductive toxicity	Not classified
Specific target organ toxicity, single exposure	Not classified. Mist may irritate the nose and throat.
Specific target organ toxicity, repeated exposure	Not classified
Aspiration hazard	Not classified
Interactive effects	None known

Component data: Ethyl alcohol

LD50 oral, rat	10,470 mg/kg	**LD50 dermal, rat**	20 mL/kg (approx. 15,800 mg/kg)
LC50 inhalation (vapor), rat, 4 h	124.7 mg/L	**Skin irritation, rabbit**	Not irritating
Eye irritation, rabbit	Irritating; reversible within 21 days	**Skin sensitization, mouse (local lymph node assay)**	Negative
Gene mutation, mammalian cells (in vitro)	Negative		

SECTION 12. ECOLOGICAL INFORMATION

Component data: Ethyl alcohol

LC50 fish, 96 h	12.0 to 16.0 mL/L, approx. 9,500 to 12,600 mg/L (Oncorhynchus mykiss)		
EC50 daphnia, 48 h	9,268 to 14,221 mg/L (Daphnia magna)	**NOEC daphnia, 9 days**	9.6 mg/L (Daphnia magna)
EC50 algae, 72 h	275 mg/L (Chlorella vulgaris)		

Persistence, bioaccumulation, mobility and other effects

Ecotoxicity	No data available for the product or the fragrance. Ethyl alcohol has low aquatic toxicity.
Persistence and degradability	No data available for the product. Ethyl alcohol is readily biodegradable.
Bioaccumulative potential	No data available for the product. Ethyl alcohol is not expected to bioaccumulate.
Mobility in soil	The product is miscible with water.
Other adverse effects	Based on its ingredients of known hazard, the product does not meet the GHS criteria for the aquatic environment hazard classes; no data are available for the fragrance. Do not release undiluted product to surface water, storm drains or waterways.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods	Dispose of contents and container in accordance with local, state and federal regulations. Do not discharge undiluted product to storm drains or waterways.
RCRA waste code	None. When discarded unused, the product is not a listed hazardous waste and has no hazardous waste characteristic: it is not ignitable (D001: no flash point stated; in addition, 40 CFR 261.21(a)(1) excludes aqueous solutions containing less than 24% alcohol by volume and at least 50% water by weight), not corrosive (D002: pH 6.9) and not reactive, and it contains none of the toxicity characteristic contaminants of 40 CFR 261.24.
Contaminated packaging	Do not reuse or refill empty jugs or pails. Rinse empty containers with water, add the rinse water to the use solution, and dispose of the containers in the trash or as local regulations allow. Keep empty pails away from young children, who can drown in a pail that holds liquid.

SECTION 14. TRANSPORT INFORMATION

	DOT (US ground)	IMDG (sea)	IATA (air)
UN number	Not regulated	Not regulated	Not regulated
UN proper shipping name	Not applicable	Not applicable	Not applicable
Transport hazard class	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable
Hazard labels	Not applicable	Not applicable	Not applicable
Marine pollutant	No	No	Not applicable
Notes	Not regulated as a hazardous material.	Not regulated. Not a marine pollutant.	Not regulated.

Packages	Case of 4 plastic jugs of 1 US gal (3.785 L), about 33 lb (15.2 kg) of product per case; plastic pail of 5 US gal (18.93 L), about 42 lb (19.0 kg) of product.
Emergency response guide	Not applicable
Transport in bulk according to MARPOL Annex II	Not applicable (shipped in packages, not in ship tanks)
Special precautions for user	Keep jugs and pails upright and closed. Protect from freezing.

SECTION 15. REGULATORY INFORMATION

OSHA hazard communication	This product is not classified as a hazardous chemical under 29 CFR 1910.1200.
TSCA inventory	Ethyl alcohol and water are listed as active on the TSCA Inventory. TSCA status of the fragrance ingredients: no data available.
SARA 302 extremely hazardous substances	Not listed
SARA 311/312 hazard categories	None (not classified as hazardous).
SARA 313 toxic chemicals	No ingredient listed in Section 3 is subject to the supplier notification requirements of 40 CFR 372.
CERCLA reportable quantity	No ingredient listed in Section 3 is a CERCLA hazardous substance.
New Jersey right-to-know	Ethyl alcohol is listed (substance number 0844) and is on the Special Health Hazard Substance List.
Pennsylvania right-to-know	Ethyl alcohol is listed.
Massachusetts right-to-know	Ethyl alcohol is listed.
California Proposition 65	No ingredient listed in Section 3 is on the Proposition 65 list (the listing of ethyl alcohol applies to alcoholic beverages only).

SECTION 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of preparation or last revision

Issue date	2026-10-26	**Version**	1
Date of first issue	2026-10-26	**Supersedes**	Earlier SDS, unnumbered

Hazard ratings

NFPA 704



HMIS

Health	1
Flammability	0
Physical hazard	0

NFPA 704 ratings run from 0 (minimal hazard) to 4 (severe hazard). HMIS rating scale: 0 minimal, 1 slight, 2 moderate, 3 serious, 4 severe. Personal protection: see Section 8.

NFPA 704 and HMIS ratings are provided for reference only and are not part of the GHS classification.

References

1. OSHA Hazard Communication Standard, 29 CFR 1910.1200, Appendices A to D, as amended May 20, 2024.
2. US DOT Hazardous Materials Regulations, 49 CFR 171 to 180.

Disclaimer

The information in this Safety Data Sheet is believed to be accurate as of the issue date and is given in good faith as a guide to safe handling, use, storage, transport and disposal. It is not a product specification and no warranty, express or implied, is made. Users must determine the suitability of the product for their own purposes and comply with all applicable laws and regulations. Gascó Industrial Corp. accepts no liability for loss or damage resulting from the use of this information or of the product.

Document control (Section 16, continued)

Document ID	SDS-D11091-D13100	**Version**	1
Issue date	2026-10-26	**Supersedes**	Earlier SDS, unnumbered

Revision history

Version	Date	Summary of changes
1	2026-10-26	First issue.

Review and approval

Role	Name	Title	Signature	Date
Prepared by	Quality Assurance	Gascó Industrial Corp.		
Reviewed by	Dan N. Bigman-Montalvo	CEO, Gascó Industrial Corp.		
Approved by	Dan N. Bigman-Montalvo	CEO, Gascó Industrial Corp.		

Prepared in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200.

End of Safety Data Sheet | Page 6 of 6